Complete AMP Superseal I.5 plugs for I.5mm²

Complete sets for male and female Superseal 1.5. Choose between plugs that consists of housings, terminals, wire-seals.



A complete sets for Superseal 1.5 plugs that consists of a housing, terminals, wire-seals. The included terminals fit 0.75 - 1.5mm² conductors. Notice that you need a <u>matching crimping</u> tool to crimp the terminals.

It is possible to purchase a rubber-base for 2, 3, 4 and 5-terminal connectors, which all encapsulate the plug even more and protect the crimps when taking two connectors apart.

Terminals

It is also possible to buy extra metal-pins if the crimping is not successful.

Wire seals / gasket

The wire seals can be destroyed by a bad crimping, so it can be beneficial to have extra ready. They are available in 3 sizes, set by the outer diameter of the wire insulation. Typically you will use the yellow for 0.75 - 1.5mm².

Fastener for male terminal plugs

The fastener is pushed in a suitable 8mm hole (0,8mm til 2.5mm thickness), and the male-terminal plugs is slid over the fastener.

matronics.1

Buy online at www.matronics.eu/509552

Specifications

Ingress protection	IP67
Voltage	Max 60VDC
Spænding	14A
Temperature	-40° to +125°C
Gasket	Silicone rubber

Product overview

Female, I pin



Female, 3 pins

SKU 509553

SKU 509551



SKU 509552

Female, 4 pins




SKU 509554

Female, 5 pins		Female, 6 pi
	SKU 509555	
Male, I pin		Male, 2 pins
	SKU 509561	the second

ale, 6 pins

SKU 509556





SKU 509562



SKU 509564

Male, 5 pins

Male, 3 pins

Rubber base, 2 positions

Rubber base, 4 positions

SKU P013-032

SKU P013-034

SKU 509563

SKU 509565





Male, 6 pins

SKU P013-033

SKU 509566

Rubber base, 5 positions



Loose parts, Male terminal O.75 - I.5mm²

SKU P013-009



Chilles .



Loose parts, Seal Greem I.2 - I.6mm SKU P013-045



Loose parts, Seal Yellow I.8 - 2.4mm SKU P013-046



Loose parts, Seal Red 2.0 - 2.5mm

SKU P013-047





S.F

Accessory, Fastener for male-terminal-plugs



SKU P013-037