

## Matronics Performance LED Headlight Kit

Very powerful LED headlight kits, available for H1, H3, H4, H7, H8, H9, H11, H16, HB3, HB4 and PSX24 sockets.



Powerful LED headlight kits, available for H1, H3, H4, H7, H8, H9, H11, H16, H27, HB3, HB4 and PSX24 sockets. The kits are complete with two LED emitters, and connector/cable sets for replacing the original emitters with 5700K.

For cars with bulb-control, it is also possible to purchase Canbus kits for 12V and 24V.

Large light output

The light output is 1800 lumen pr. LED bulb - A standard halogen bulb is typically around 1000~1500 lumen.

### Type 1

This type is characterized by having a narrow cooling unit, where the LED, that goes into the headlamp, is relatively bigger than a regular halogen-bulb

### Type 2

This type is characterized by having a narrow LED device, where the cooling unit is bigger in compared to Type 1

OBS!

Both Type 1 and Type 2 in H1 fits the Hella 3003 lamps, that comes with 6 LEDs in the lower edge of the lamp - but NOT in the version with built-in position light bulb (Ba9s)

Mounting

The H7 bulb can be adjusted in the socket with the included allen key, this may be necessary for a better light cone. Some cars need an adapter for fitting the headlamp, please look on the Related products below

CANBUS / Pear Control

For some cars, it may be necessary to go with canbus kits to avoid error messages on the car lamp control.

Unfortunately we experience that on several VOLVO trucks the computer CANNOT be cheated and here these CAN-BUS modules will not have the correct function.

matronics

Buy online at [www.matronics.eu/129050](http://www.matronics.eu/129050)

### LED Kit, H1 - Type 1



SKU 129160  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

### LED Kit, H3 - Type 1



SKU 129161  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

### LED Kit, H3 - Type 2



SKU 129091  
Color temperature: 6000K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
LED temperature: -40 til 120 grader  
Voltage: 9V til 32V DC  
Current: 1.8A at 13.5V (per set)  
LED power: 25W (nominal per set)  
Estimated Lifetime: 30.000 Hours  
Cooling: Passive / Cooling elements

### LED Kit, H4 - Type 1



SKU 129162  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

### LED Kit, H7 - Type 1



SKU 129163  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

### LED Kit, H7 - Type 3



SKU 129193  
Color temperature: 6000K  
Brightness: 5000 (nominal per set)  
Work temperature: -45 til 85 grader  
LED temperature: -40 til 120 grader  
Voltage: 9V til 32V DC  
Current: 1.85A at 13.5V (per set)  
LED power: 25W (nominal per set)  
Estimated Lifetime: 30.000 Hours  
Cooling: Passive / Cooling elements

### LED Kit, H8 / H9 / H11 / H16 - Type 1



SKU 129164  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

### LED Kit, H8 / H9 / H11 / H16 - Type 3



SKU 129194  
Color temperature: 6000K  
Brightness: 5000 (nominal per set)  
Work temperature: -45 til 85 grader  
LED temperature: -40 til 120 grader  
Voltage: 9V til 32V DC  
Current: 1.85A at 13.5V (per set)  
LED power: 25W (nominal per set)  
Estimated Lifetime: 30.000 Hours  
Cooling: Passive / Cooling elements

### LED Kit, DEMO H27/880/881/894 - Type 1



SKU 129167

### LED Kit, H27/880/881/888/894 - Type 1



SKU 129168

### LED Kit, HB3 / 9005 Type 1



SKU 129165  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

### LED Kit, HB4 / 9006 - Type 1



SKU 129166  
Colortemperature: 5700K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
Voltage: 6V til 32V DC  
LED power: 32W (nominal per set)

## LED Kit, PSX24W - Type 2



SKU 129099  
Color temperature: 6000K  
Brightness: 3600 (nominal per set)  
Work temperature: -45 til 85 grader  
LED temperature: -40 til 120 grader  
Voltage: 9V til 32V DC  
Current: 1.8A at 13.5V (per set)  
LED power: 25W (nominal per set)  
Estimated Lifetime: 30.000 Hours  
Cooling: Passive / Cooling elements

## 12V Canbus Kit, H1



SKU 129050

## 12V Canbus Kit, H3



SKU 129051

## 12V Canbus Kit, H4



SKU 129052

## 12V Canbus Kit, H7



SKU 129053

## 12V Canbus Kit, H8 / H11



SKU 129056

## 12V Canbus Kit, HB3



SKU 129057

## 12V Canbus Kit, HB4



SKU 129058

## 12V Canbus Kit, 9004



SKU 129061

## 24V Canbus Kit, H1



SKU 128900

## 24V Canbus Kit, H3



SKU 128901

## 24V Canbus Kit, H4



SKU 128902

## 24V Canbus Kit, H7



SKU 128903

## 24V Canbus Kit, H8/H11



SKU 128905

### 24V Canbus Kit, HB3



SKU 129057

### 24V Canbus Kit, HB4



SKU 128904

### 12V Canbus Kit, HB5



SKU 129061

Product pictures

