

5 pcs. 3 mm LEDs for Internal 24V DC

5 pcs. LEDs with a wire and mounting frames, ready for indoor mounting.



5 LED with a wire and mounting frames, ready for indoor mounting. They are typically used for cabins and trunks since they have a wide light scattering.

The LEDs can also be dimmed with a 24VDC dimmer.

- Cable length: 0,5 m
- Mounting hole: 4,5 ~ 5,0mm

Can also be attached via cable-ties and cable-tie-anchors.

Buy online at:

www.matronics.eu/240001

**Blue**


SKU 240001
Lens type: Diffuse
Wave Length: ~ 470nm
Operation Voltage: 24V DC @ 20mA
Color: Blue
Brightness: 1000mCD
Light Scattering: 120 °

**Red**


SKU 240011
Brightness: 1000mCD
Lens type: Diffuse
Wave Length: ~ 625nm
Operation Voltage: 24V @ 20mA
Color: Red
Light Scattering: 120 °

**Green**


SKU 240031
Light Scattering: 120 °
Operation Voltage: 24V @ 20mA
Lens type: Diffuse
Color: Green
Wave Length: ~ 525nm
Brightness: 1300 mcd

**Xenon white**

SKU 240051
Lens type: Diffuse
Light Scattering: 120 °
Brightness: 1000 mcd
Color: White 6500 k
Operation Voltage: 24V @ 20mA

**Warm-white**

SKU 240055
Light Scattering: 60 °
Color: Warm white 2700 k
Brightness: 6000 mcd
Lens type: Clear glass
Operation Voltage: 24V @ 20mA

**Yellow**

SKU 240021
Wave Length: ~ 589nm
Light Scattering: 120 °
Color: Yellow
Operation Voltage: 24V @ 20mA
Lens type: Diffuse
Brightness: 1000mCD

**Orange**

SKU 240041
Operation Voltage: 24V @ 20mA
Lens type: Diffuse
Wave Length: ~ 605nm
Light Scattering: 120 °
Color: Orange
Brightness: 1000 mcd

Product pictures

