

5 pcs. 3 mm LEDs for Interior I2V DC

5 pcs. diodes with a cord and mounting frames, ready for indoor mounting.



5 pcs. diodes with a cord and mounting frames, ready for indoor mounting. Is typically used for cabins and trunks, since they have a wide light scattering.

The diodes can also be attenuated in the brightness via our 12Vdc dimmers.

Buy online at: www.matronics.eu/120001

Cable length - 0.5 metres Mounting hole must be $4.5 \sim 5$, 0.

It can also be attached via cable stripes and an stripes anchor.



Blue

SKU 120001

Operation Voltage: 12V DC @ 20mA

Lens type: Diffuse Brightness: 1000mCD Wave Length: ~ 470nm Light Scattering: 120 °

Color: Blue 132: 13



Green

SKU 120031

Light Scattering: 120 ° Wave Length: ~ 525nm

Color: Green

Operation Voltage: 12V DC @ 20mA

Lens type: Diffuse Brightness: 1300 mcd



Warm-white

SKU 120055

Color: Warm white 2700 k

Operation Voltage: 12V DC @ 20mA

Lens type: Clear glass Brightness: 6000 mcd Light Scattering: 60 °



Orange

SKU 120041

Light Scattering: 120 ° Brightness: 1000 mcd Lens type: Diffuse Wave Length: ~ 605nm

Operation Voltage: 12V DC @ 20mA

Color: Orange



Red

SKU 120011

Brightness: 1000mCD Lens type: Diffuse

Operation Voltage: 12V DC @ 20mA

Wave Length: ~ 625nm Light Scattering: 120 °

Color: Red



Xenon white

SKU 120051

Light Scattering: 120 ° Brightness: 1000 mcd

Operation Voltage: 12V DC @ 20mA

Lens type: Diffuse

Wave Length: $X = -Y = 0.31 \ 0.32$

Color: White 6500 k



Yellow

SKU 120021

Light Scattering: 120 ° Lens type: Diffuse Brightness: 1000mCD

Color: Yellow

Wave Length: ~ 589nm

Operation Voltage: 12V DC @ 20mA

Product pictures

