Prolumo Commander G3, BT+RF remote 8 channel - 12-24V

Experience the ultimate in control with Prolumo Commander, a programmable control panel designed to control up to 8 devices individually or in groups, depending on your needs.



Experience the ultimate in control with Prolumo Commander, a programmable control panel designed to control up to 8 devices individually or in groups, depending on your needs. With 8 dedicated outputs, you can easily customize and control each device separately or synchronize them for joint function.

The control panel comes with a remote control that has adjustable RGB backlighting, so you can choose exactly the color that suits your style or situation. The remote control is connected by a 3.2 meter long cable, giving you the flexibility to place it where you want. For even more convenience, you can also control the devices via the included app, SwitchPanel, which supports both Android and Apple devices and allows for wireless control via Bluetooth.

All devices can be set in 3 different functions: On/off, push-on/momentary, and strobe function. For example, you can run work lights on group 1 on on/off. Marker lights in group 2 on strobe function. Horn in group 3 on push-on/momentary. The wireless remote has been coded together with the commander from the factory.

Group 1 and 2 = max 30 amp.

Group 3 and $4 = \max 20$ amp.

Group 5 and $6 = \max 10$ amp.

Group 7 and 8 = max 5 amp.

The Prolumo Commander is equipped with a direct input that makes it possible to control LED ramps or other additional lights via your vehicle's analogue main beam signal. It is compatible with both 12V and 24V systems and uses advanced MosFet/electronic relays for reliable operation. Safety is paramount with built-in protection against overheating, overload, short circuit and wrong polarity, ensuring trouble-free and safe use in all conditions.

Prolumo Commander gives you the flexibility and security you need to take full control of your equipment.

You can find an English manual under downloads.

matronics₁₁

Buy online at www.matronics.eu/609780

Product overview

Prolumo Commander G3, BT+RF remote 8 channel - I2-24V



SKU 609780

Max effect: 60A (720W/12V, 1440W/24V)

Channels: 8 Voltage: 12-24V

Max output : 600V/12V 1200V/24V

Range: 30-50 meters

Product pictures

















