

LED Stripes, Splashproof, 5m - 12V

5 metres splashproof LED SMD stripe with a bright light. 350-950 Lumen per m.



The splashproof LED Tape SMD can be shortened or extended further, so it fits for your project. The stripe is 8/10 mm wide and is built up in small modules of 5 cm or 10 cm, where there are 3-6 heavy SMD diodes in a circuit ready for 12Vdc. There are clear markers where the stripe can be cut, as well as solder-islands, where you can solder wire on or extend with more SMD-tape. On the back is a 3 m powerful tape, which makes that LED SMD tape to stay attached to his seat without screws.

It is sold in coils of 5 metres, but you can short it up/prolong it, so that it fits for the task. They should not be used in particularly exposed areas with water (for example aquarium lighting), as the product is only splashproof.

The solid color SMD LED stripe can be connected directly to 12Vdc or to a 12Vdc transformer, which can be purchased from us as well. The LED stripe can also be attenuated in the brightness via our 12Vdc dimmers, which are mounted between the tape and the transformer.

The installation is very simple, but it must be used in houses/buildings and according to the law - should be mounted by an electrician.

matronics.nl

Buy online at www.matronics.eu/609040

Product overview

Warm white, 350 Lumens



SKU 609040
Voltage: DC12V
Watt / m: 4.2 Watt
LEDs / meter: 60
Color temperatur: 3200 Kelvin

Warm white, 700 Lumen



SKU 609148
Voltage: DC12V
Watt / m: 8.4 Watt
LEDs / meter: 120
Color temperatur: 3200 Kelvin

Warm white, 1600 Lumen



SKU 609141
Voltage: DC12V
Watt / m: 12.0 Watt
LEDs / meter: 120
Color temperatur: 3000 Kelvin

Neutral white, 1600 Lumen



SKU 609142
Voltage: DC12V
Watt / m: 12.0 Watt
LEDs / meter: 120
Color temperatur: 4000 Kelvin

Cool white, 360 Lumens



SKU 609041
Light output per 100 cm: 360 Lumen
Diodes per meter: 60stk
Light Scattering: 120 ~ 140 degrees
LED Type: 1210 SMD
Voltage: 12Vdc
Tracking: 5 cm
Color: Cool White ~ 6500 k
Consumption per coil: 21,0 Watt ~ 1750mA
Colour Rendering (Ra): 75
Consumption per metre: 4.2 Watts ~ 350mA
Density: IP54
Bandwidth: 8 mm
Voltage: DC12V
Watt / m: 4.2 Watt
LEDs / meter: 60
Color temperatur: 6500 Kelvin

Cool white, 700 lumen



SKU 609149
Voltage: DC12V
Watt / m: 8.4 Watt
LEDs / meter: 120
Color temperatur: 6000 Kelvin

Red, 680 lumen



SKU 609151
Voltage: DC12V
Watt / m: 8.4 Watt
LEDs / meter: 120

Green, 270 Lumens



SKU 609034
Voltage: DC12V
Watt / m: 4.2 Watt
LEDs / meter: 60

Green, 860 lumen



SKU 609152
Voltage: DC12V
Watt / m: 8.4 Watt
LEDs / meter: 120

Blå, 360 lumen



SKU 609150
Voltage: DC12V
Watt / m: 8.4 Watt
LEDs / meter: 120

Yellow, 80 Lumens



SKU 609035
Voltage: DC12V
Watt / m: 4.2 Watt
LEDs / meter: 60

Accessori, Rubber-bracket 8mm



SKU 609298

Accessori, Rubber-bracket 10mm



SKU 609299

Product pictures



