

Starter Kit with IO External Diodes and Accessories I2V

10 pieces 3 diodes for exterior, including all accessories for mounting.



10 pieces 3 diodes for exterior, including all accessories for mounting.

- 10 pcs. 3 mm LEDs
- 2 * 5 metres cord
- On/off switch
- Fuse with a holder
- Gather sleeves
- 10 m. tape
- 20 pcs. stripes
- 10 Mounting frames
- Installation instructions

matronics

Buy online at www.matronics.eu/140002


Product overview

Blue



SKU 140002
Light Scattering: 60 °
Wave Length: ~ 470nm
Color: Blue
Brightness: 1000mCD
Operation Voltage: 12V @ 20mA
Lens type: Clear glass

Red




SKU 140012
Brightness: 1000mCD
Operation Voltage: 12V @ 20mA
Lens type: Clear glass
Color: Red
Wave Length: ~ 625nm
Light Scattering: 60 °

Green



SKU 140032
Lens type: Clear glass
Light Scattering: 60 °
Brightness: 1300 mcd
Wave Length: ~ 525nm
Color: Green
Operation Voltage: 12V @ 20mA

Xenon white




SKU 140052
Light Scattering: 60 °
Lens type: Clear glass
Operation Voltage: 12V @ 20mA
Color: White 6500 k
Brightness: 1000 mcd

Warm-white



SKU 140056
Light Scattering: 60 °
Color: Warm white 2700 k
Lens type: Clear glass
Operation Voltage: 12V @ 20mA
Brightness: 6000 mcd

Yellow



SKU 140022
Brightness: 1000mCD
Light Scattering: 60 °
Operation Voltage: 12V @ 20mA
Lens type: Clear glass
Wave Length: ~ 589nm
Color: Yellow

Orange



SKU 140042
Operation Voltage: 12V @ 20mA
Brightness: 1000 mcd
Lens type: Clear glass
Light Scattering: 60 °
Color: Orange
Wave Length: ~ 605nm

Product pictures

