Starter Kit with IO External Diodes and Accessories I2V

10 pieces 3 diodes for exterior, including all accessories for mounting.



10 pieces 3 diodes for exterior, including all accessories for mounting.

- 10 pcs. 3 mm LEDs
- 2 * 5 metres cord
- On/off switch
- Fuse with a holder
- Gather sleeves
- 10 m. tape
- 20 pcs. stripes
- 10 Mounting frames
- Installation instructions

matronics.1

Buy online at <u>www.matronics.eu/140002</u>

Product overview

Blue

Green



SKU 140002 Light Scattering: 60 ° Wave Length: ~ 470nm Color: Blue Brightness: 1000mCD Operation Voltage: 12V @ 20mA Lens type: Clear glass

SKU 140032

Color: Green

Lens type: Clear glass

Light Scattering: 60 °

Brightness: 1300 mcd Wave Length: ~ 525nm

Red



SKU 140012 Brightness: 1000mCD Operation Voltage: 12V @ 20mA Lens type: Clear glass Color: Red Wave Length: ~ 625nm Light Scattering: 60 °

Xenon white



SKU 140052 Light Scattering: 60 ° Lens type: Clear glass Operation Voltage: 12V @ 20mA Color: White 6500 k Brightness: 1000 mcd

Yellow



SKU 140022 Brightness: 1000mCD Light Scattering: 60 ° Operation Voltage: 12V @ 20mA Lens type: Clear glass Wave Length: ~ 589nm Color: Yellow

Warm-white



SKU 140056 Light Scattering: 60 ° Color: Warm white 2700 k Lens type: Clear glass Operation Voltage: 12V @ 20mA Brightness: 6000 mcd

Operation Voltage: 12V @ 20mA





SKU 140042 Operation Voltage: 12V @ 20mA Brightness: 1000 mcd Lens type: Clear glass Light Scattering: 60 ° Color: Orange Wave Length: ~ 605nm

Product pictures

