5 pcs. 3 mm LEDs for Interior I2V DC

5 pcs. diodes with a cord and mounting frames, ready for indoor mounting.



5 pcs. diodes with a cord and mounting frames, ready for indoor mounting. Is typically used for cabins and trunks, since they have a wide light scattering.

The diodes can also be attenuated in the brightness via our <u>12Vdc dimmers</u>.

Cable length - 0.5 metres

Mounting hole must be $4.5 \sim 5$, 0.

It can also be attached via cable stripes and an stripes anchor.

matronics.11

Buy online at www.matronics.eu/120001

Product overview

Blue



SKU 120001

Operation Voltage: 12V DC @ 20mA

Lens type: Diffuse Brightness: 1000mCD Wave Length: ~ 470nm Light Scattering: 120 °

Color: Blue 132: 13

Red



SKU 120011

Brightness: 1000mCD Lens type: Diffuse

Operation Voltage: 12V DC @ 20mA

Wave Length: ~ 625nm Light Scattering: 120 °

Color: Red

Green



SKU 120031

Light Scattering: 120 ° Wave Length: ~ 525nm

Color: Green

Operation Voltage: 12V DC @ 20mA

Lens type: Diffuse Brightness: 1300 mcd

Xenon white



SKU 120051

Light Scattering: 120 ° Brightness: 1000 mcd

Operation Voltage: 12V DC @ 20mA

Lens type: Diffuse

Wave Length: $X = -Y = 0.31 \ 0.32$

Color: White 6500 k

Warm-white



SKU 120055

Color: Warm white 2700 k

Operation Voltage: 12V DC @ 20mA

Lens type: Clear glass Brightness: 6000 mcd Light Scattering: 60 °

Yellow



SKU 120021

Light Scattering: 120 ° Lens type: Diffuse Brightness: 1000mCD

Color: Yellow

Wave Length: ~ 589nm

Operation Voltage: 12V DC @ 20mA

Orange



SKU 120041

Light Scattering: 120 °
Brightness: 1000 mcd
Lens type: Diffuse
Wave Length: ~ 605nm

Operation Voltage: 12V DC @ 20mA

Color: Orange

Product pictures

