


White shrink-tubing

White shrink-tubing in bags with cut lengths. The white color makes them perfect for hiding joints on white cables.



White shrink-tubing in bags with cut lengths. The white color makes them perfect for hiding joints on white cables.

matronics

Buy online at www.matronics.eu/505081

All models are 2:1, which means their diameter will be twice as small when shrunk.


Product overview

1.6mm x 1m



SKU 505080
Diameter before shrinking: 1.6mm
Diameter after shrinking: 0.8mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.18 / 0.30mm

2.4mm x 1m



SKU 505081
Diameter before shrinking: 2.4mm
Diameter after shrinking: 1.2mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.18 / 0.30mm

3.2mm x 1m



SKU 505082
Diameter before shrinking: 3.2mm
Diameter after shrinking: 1.6mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.20 / 0.38mm

4.8mm x 1m



SKU 505083
Diameter before shrinking: 4.8mm
Diameter after shrinking: 2.4mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.23 / 0.45mm

6.4mm x 1m



SKU 505084
Diameter before shrinking: 6.4mm
Diameter after shrinking: 3.2mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.25 / 0.50mm

9.5mm x 1m



SKU 505085
Diameter before shrinking: 9.5mm
Diameter after shrinking: 4.5mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.30 / 0.60mm

12.7mm x 1.2m



SKU 505086
Diameter before shrinking: 12.7mm
Diameter after shrinking: 6mm
Material: Polyolefine
Shrinking temperature: 90 degrees
Wall thickness (before/after): 0.30 / 0.60mm

Product pictures

