

Raw Aluminium Profile - U

U profile in an untreated aluminium, which can be used for many purposes.



U profile in an untreated aluminium, which can be used for many purposes. The dimensions are the outer measures and the thickness of the lightbar is 2mm.

This profile is more stable over longer lengths compared to the flat profiles. This will allow you to hang the product up on ceilings, etc.

The U profile can be used for LED stripes. They give you a better heat dissipation, which makes them easier to mount.

matronics 

Buy online at www.matronics.eu/131481

Product overview

10 x 20 x 2mm, 99cm



SKU 131475
Height: 20mm
Width: 10mm
Inner width: 6mm

10 x 20 x 2mm, 199cm



SKU 131476
Height: 20mm
Width: 10mm
Inner width: 6mm

10 x 20 x 2mm, 299cm



SKU 131477
Height: 20mm
Width: 10mm
Inner width: 6mm

15 x 15 x 2mm, 99cm



SKU 131481
Height: 15mm
Width: 15mm
Inner width: 11mm

15 x 15 x 2mm, 199cm



SKU 131482
Height: 15mm
Width: 15mm
Inner width: 11mm

15 x 15 x 2mm, 299cm



SKU 131483
Height: 15mm
Width: 15mm
Inner width: 11mm

20 x 10 x 2mm, 99cm



SKU 131491
Height: 10mm
Width: 20mm
Inner width: 16mm

20 x 10 x 2mm, 199cm



SKU 131492
Height: 10mm
Width: 20mm
Inner width: 16mm

20 x 10 x 2mm, 299cm



SKU 131493
Height: 10mm
Width: 20mm
Inner width: 16mm

20 x 20 x 2mm, 99cm



SKU 131501

20 x 20 x 2mm, 199cm



SKU 131502

20 x 20 x 2mm, 299cm



SKU 131503

25 x 25 x 2mm, 99cm



SKU 131511

25 x 25 x 2mm, 199cm



SKU 131512

25 x 25 x 2mm, 299cm



SKU 131513

Product pictures

