

FBOX Tempo ABS, IP65

Large and small water-proof plastic enclosure with lots of space for power supplies and other larger equipment. Available with a gray or transparent lid.



Small and large water-proof plastic enclosures with lots of space for power supplies and other larger equipment. It is possible to mount parts in the bottom of the enclosure, for example, a DIN rail for various controllers.

The enclosure is perfect for mounting outdoors and can handle temperatures from -40 to +80 degrees. It is water-proof with IP65 and it is impact-resistant with IK07 classifications.

Available as either gray or transparent lid.

matronics

Buy online at www.matronics.eu/660600

Specifications

Temperature	-40°C til +60°C
Color	Light gray (RAL 7035)
Material	ABS
Gasket	Polyurethane

Product overview

Gray lid, 95 x 65 x 60 - TAO90706



SKU 660601
Dimensions: 60 x 65 x 95mm

Gray lid, 110 x 110 x 65 - TAI1107



SKU 660604
Dimensions: 65 x 110 x 110mm

Gray lid, 187 x 122 x 90 - TAI1209



SKU 660602
Dimensions: 90 x 122 x 187mm

Gray enclosure, 201 x 163 x 99 - TA201610



SKU 660605
Dimensions: 99 x 163 x 201mm

Gray lid, 191 x 240 x 107 - TA241911



SKU 660600
Dimensions: 107 x 191 x 240mm

Gray lid, 289 x 239 x 107 - TA292411



SKU 660606

Gray lid, 344 x 289 x 117 - TA342912



SKU 660603

Transparent lid, 187 x 122 x 90 - TPCI91209T



SKU 660602T
Dimensions: 90 x 122 x 187mm

Transparent lid, 191 x 240 x 107 - TPC24191I



SKU 660600T
Dimensions: 107 x 240 x 191mm

Transparent lid, 201 x 163 x 99 - TPC20161OT



SKU 660605T
Dimensions: 99 x 163 x 201mm

Transparent lid, 289 x 239 x 107 - TPC29241IT



SKU 660606T
Dimensions: 107 x 239 x 289mm

Transparent lid, 344 x 289 x 117 - TPC342912T



SKU 660603T
Dimensions: 117 x 289 x 344mm

DIN rail, 14 cm for TA191209



SKU 660612

DIN rail, 21 cm for TA24191I




SKU 660610

DIN rail, 26 cm for TA342912




SKU 660613

Mounting plate, 210 x 160 for TA24191I



SKU 660615

Mounting plate, 265 x 215 for TA29241I



SKU 660614

Product pictures

