Mini DC gear motor, I2V

Incredible small gear-motor, type N20, that is only 10x12x24mm, with a 20mm axle. From 100 to 1000 RPM.



Incredible small gear-motor, type N20, that is only 10x12x24mm, with a 20mm long axle and Ø3. The motor is available with RPM from 100 to 1000.

There are some accessories for this motor. First is a coupling that fits the axle of the motor, and is fastened with a pinol screw. The coupling has 4 holes for fastening a part to the motor.

The small bracket is placed over the motor and fastened with screws or bolts.

The motor is connected by soldering wires to the small solder-tabs on the back. It is possible to purcase "Soldering of 50cm wire", where we presolder 50cm 0.5mm2 wires on it, so that it is ready for use.

matronics.

Buy online at www.matronics.eu/613020-100

Specifications

Voltage 6-12V

Product overview

Motor, IOO RPM



SKU 613020-100 Free-run RPM : 100 Stall current: 1A Stall moment: 16kg/cm

Gearing: 1:298 Torque: 2kg/cm

Motor, 300 RPM



SKU 613020-300 Free-run RPM : 300 Stall current: 300mA Stall current: 4kg/cm Gearing: 1:100

Motor, 1000 RPM



SKU 613020-1000 Free-run RPM : 1000 Stall current: 200mA Stall current: 2.4kg/cm

Gearing: 1:30

Accessory, Motor coupling Ø22, 3mm



SKU 613092

Accessory, Bracket



SKU 613020-B

Service, Soldering of 50cm wire



SKU 989807

Product pictures





