


## LED Lightbar with dual position-light, E-approved 9-36V

E-approved LED lightbar with dual position-light that allows you to switch between white and yellow position-light



LED lightbars with dual position-light, that sits in the top of the lamp without any visible LED's. That gives you the possibility to change between white and yellow positions-light as you feel like it so that it fits your vehicle.

The lightbars are available as 32cm (60W) and 52cm (100W). These lightbars are ECE-approved so that you can use them on public roads. They can advantageously replace the classic halogen long-beams.

In regards to the light diagram, it shows 1 lux at 370m (32cm) and 442m (52cm) respectively. You will, therefore, get more light than the diagram shows and be able to see the reflections in the cones in the side of the road further out.

The lens glass is produced in polycarbonate and the lamp housing is made of powder-coated aluminum to achieve a sleek design and good cooling for the LEDs.

The supplied brackets are manufactured in black aluminium. The lightbars also come with a suitable DT Deutsch-plug, which makes the installation much easier.

- Black: -
- Red: High-beam
- White: White position-light
- Yellow: Yellow position-light

matronics

Buy online at [www.matronics.eu/24606480](http://www.matronics.eu/24606480)

### Product overview

#### 32cm (60W) - 4845 Lumen



SKU 24606480  
LEDs: 6 x 10W CREE  
Voltage: 9-36V DC  
Consumption: 40 / 2W  
Operating temperature: - 40°C to +60°C  
Lumen effective: 4845lm  
Reference value: 30  
Kelvin: 6500K  
Lifetime: 50000 hours  
Dimensions: 81 x 58 x 324mm

#### 52cm (100W) - 8075 Lumen



SKU 24606481  
LEDs: 10 x 10W CREE  
Voltage: 9-36V DC  
Consumption: 40 / 2W  
Operating temperature: - 40°C to +60°C  
Lumen effective: 8075lm  
Reference: 45  
Kelvin: 6500K  
Lifetime: 50000 hours  
Weight: 1.9 KG  
Dimensions: 81 x 58 x 516mm

Product pictures





