

### LED Lightbar with dual position-light, E-approved 9-36V

E-approved LED lightbar with dual position-light that allows you to switch between white and yellow position-light



LED lightbars with dual positon-light, that sits in the top of the lamp without any visible LED's. That gives you the possibility to change between white and yellow positions-light as you feel like it so that it fits your vehicle.

The lightbars are available as 32cm (60W) and. 52cm (100W). These lightbars are ECE-approved so that you can use them on public roads. They can advantageously replace the classic halogen long-beams.

In regards to the light diagram, it shows 1 lux at 370m (32cm) and 442m (52cm) respectively. You will, therefore, get more light than the diagram shows and be able to see the reflections in the cones in the side of the road further out.

The lens glass is produced in polycarbonate and the lamp housing is made of powder-coated aluminum to achieve a sleek design and good cooling for the LEDs.

The supplied brackets are manufactured in black aluminium. The lightbars also come with a suitable DT Deutsch-plug, which makes the installation much easier.

Black: -

• Red: High-beam

White: White position-lightYellow: Yellow position-light

## matronics.

Buy online at www.matronics.eu/24606480

#### Product overview

#### 32cm (60W) - 4845 Lumen



SKU 24606480 LEDs: 6 x 10W CREE Voltage: 9-36V DC Consumption: 40 / 2W

Operating temperature: - 40°C to +60°C

Lumen effective: 4845lm Reference value: 30 Kelvin: 6500K

Lifetime: 50000 hours Dimensions: 81 x 58 x 324mm

#### 52cm (IOOW) - 8075 Lumen



SKU 24606481 LEDs: 10 x 10W CREE Voltage: 9-36V DC Consumption: 40 / 2W

Operating temperature: - 40°C to +60°C

Lumen effective: 8075lm

Reference: 45 Kelvin: 6500K Lifetime: 50000 hours

Weight: 1.9 KG Dimensions: 81 x 58 x 516mm

# Product pictures

























